

CONVENTIONAL PANELS

FIRECHECK CONCEPT CONVENTIONAL PANELS

2-WIRE AND CONVENTIONAL PANELS*

CODE	DESCRIPTION	PRICE £
CFC2	2 wire, 2-zone panel, requires special sounders in 2-wire applications	199.00
CFC4	2 wire, 4-zone panel, requires special sounders in 2-wire applications	269.00
CFC4L	2 wire, 4-zone panel, large box, requires special sounders in 2-wire applications	295.00
CFC6	2 wire, 6-zone panel, requires special sounders in 2-wire applications	415.00
CFC8	2 wire, 8-zone panel, requires special sounders in 2-wire applications	499.00
CFC12	2 wire, 12-zone panel, requires special sounders in 2-wire applications	594.00
CFC12L	2 wire, 12-zone panel, large box, requires special sounders in 2-wire applications	594.00

*Batteries supplied separately

SPECIAL 2-WIRE SOUNDERS & RELAY

CSMI	Under detector 2-wire sounder for Concept system only. 97dBa	27.50
CSMIC	Cover for stand alone CSMI	1.20
CSSY	Horn 2-wire sounder for Concept system only. 100dBa	29.50
CRB	Boxed relay 2-wire Concept system only	50.00

REPEATERS

CFC4R	4-zone repeater Firecheck Concept	150.00
CFC8R	8-zone repeater Firecheck Concept	160.00
CFC16R	16-zone repeater Firecheck Concept	170.00

FLUSHING KIT

CFCFS	Flushing kit. Consists of door and flange 2 and 4 zone	60.00
CFCFL	Flushing kit. Consists of door and flange 6 - 12 zone	75.00

FIRECHECK SIGMA CONVENTIONAL PANELS

EN54 PANELS

K11020	Firecheck Sigma 2-zone panel*	249.00
K11040	Firecheck Sigma 4-zone panel*	299.00
K11080	Firecheck Sigma 8-zone panel*	335.00
K11LCMU	Firecheck Sigma LCMU line continuity module	9.00

*Batteries and LCMU for detector removal supplied separately

REPEATERS

K11080R	Firecheck Sigma Repeater panel 8-zone	255.00
---------	---------------------------------------	--------

MENVIER CONVENTIONAL PANELS*

MF200	2 zone Menvier panel includes batteries, EN54 compliant	147.00
MF400	4 zone Menvier panel includes batteries, EN54 compliant	199.00

*Use Menvier Detectors with these panels

Larger panels, flushing versions, special panels, repeaters, longer standby available to order

CONVENTIONAL DETECTORS

TANN SYNCHRONOME DETECTORS

8000 SERIES*

8000B	Tann Synchronome common base 8000 series detectors	7.00
8000ELED	Extension LED 8000 series	7.40
8000RM	Relay module for 8000 detectors	8.60
8100	Optical smoke detector	38.00
8200	Ionisation smoke detector	38.00
8300	Rate of rise heat detector	18.50
8400	Medium temperature fixed heat detector	18.50
8500	High temperature heat detector	18.50
8600	Combined smoke/heat detector	45.00

*Not compatible with Firecheck Concept or FC3000 series panels

CONVENTIONAL HOCHIKI DETECTORS

YBNR6	Hochiki conventional base pre 1992 systems no diode	4.00
YBNR6SK	Hochiki conventional base post 1992 systems with diode	4.50
SLR3E	Optical smoke detector	28.00
DCDAE3	Rate of rise heat detector	21.40
DFJAE3	Medium fixed heat 60°	21.40
DFJCE3	High fixed heat 90°	21.40

CONVENTIONAL MENVIER DETECTORS*

MDB800	Menvier 800 series detector base	4.25
MDB810	Optical smoke detector	26.00
MDB820	Ionisation smoke detector	33.00

CODE	DESCRIPTION	PRICE £
MFR830	Rate of rise heat detector	15.30
MMT860	Medium temp heat 77°	15.30
MHT890	High temp heat 92°	15.30
MPT950	Combined heat/smoke detector	37.00

*Use only with Menvier panels

CONVENTIONAL CALL POINTS AND ALARM DEVICES

Below are standard items. Other colours, voltages, obsolete items and high output sounders, strobes and beacons are available.

CALL POINTS

BGEN54	Call point including Back box EN54	9.50
BGEN54WP	Call point including Back box EN54 IP67	44.00
BGSGEN54	Call point element BGEN54 Pk of 10	10.00
BG90	Call point flush EN54 style with resistor and open/close on fire capability	7.70
SB90	Back box for BG90 or BG90RE	1.40
BG130R	Weatherproof IP67 call point traditional	62.50
BGCPSG	Call point glass pack of 5	5.00
BG90RE	Call point EN54, flush fitting with resettable element, resistor and open/close on fire capability	9.00
BGER	BG90 resettable element	1.00

BELLS

MOTORISED

ECFB4D24	Bell motorised 4" 24V red	13.50
ECFB6D24	Bell motorised 6" 24V red	14.50
ECFB8D24	Bell motorised 8" 24V red	21.00

ELECTRONIC

EEB24	Bell electronic solenoid 24V red	25.00
EEB240	Bell electronic solenoid 240V red	30.00
EEBWP24	Bell electronic solenoid weatherproof 24V	30.00

SOUNDERS

FIXED POWER

ES4000FR	Sounder, red, shallow base 100dBA 30mA 24VDC	25.00
ES4000SR	Sounder, red, deep base 100dBA 30mA 24VDC	25.50
ES4000SW	Sounder, white, deep base 100dBA 30mA 24VDC	26.50
ES5000FR	Sounder, flush mount 100dBA 30mA 24VDC	19.00
ES5000SR	Sounder, surface mount, bedroom 101dBA 30mA 24VDC	20.00
ES6000CW	Sounder, white, ceiling, under detector 93dBA 30mA 24VDC	21.00
ESSYR	Sounder, horn, electronic 100dBA 5mA	30.00

VARIABLE POWER

VSRS	Sounder, red, shallow base 86-106dBA 9-36mA 24VDC Low medium & high settings	24.00
VSRD	Sounder, red, deep base 86-106dBA 9-36mA 24V DC Low medium & high settings	24.50

COMBINED LIGHTS AND SOUNDERS

ESSTSR	Strobe sounder unit, deep base 1W 100dBA 63mA 24VDC	49.00
VCRD	LED beacon sounder unit, deep base 86-106dBA 14-41mA 24VDC Low medium & high sounder settings	38.00

STROBES AND BEACONS

ES6000SR	Strobe red lens deep base 2.1W 55mA 24VDC	34.00
VBRD	LED beacon deep base 3-5mA 24VDC 0.7W	26.00
VBRS	LED beacon shallow base 3-5mA 24VDC 0.7W	25.80

MISCELLANEOUS

BATTERIES

CODE	DESCRIPTION	PRICE £
BAT121.2	Battery 12V 1.2amp/hr VSLA	11.70
BAT122.1	Battery 12V 2.1amp/hr VSLA	12.90
BAT123.2	Battery 12V 3.2amp/hr VSLA	13.50
BAT127	Battery 12V 7amp/hr VSLA	19.50
BAT1212	Battery 12V 12amp/hr VSLA	37.11

Larger Batteries up to 70amp/hr available on request

RELAYS

MULTIKIT	Dual relay universal PCB	25.00
MULTIKITB	Dual relay, universal, boxed	38.00
DRUP	Delayed relay with pulser, boxed	50.00

LOGBOOK

CODE	DESCRIPTION	PRICE £
FALBN	Log book BS5839 2002	15.00

BOXED SOUNDER BOOSTERS WITH PSU*

SB021.25	2 sounder lines fused at 1amp, 1.25amp PSU total	250.00
SB043	4 sounder lines, fused at 1amp, 3amp PSU total load	310.00
SB063	6 sounder lines, fused at 1amp, 3amp PSU total load	370.00
SB083	8 sounder lines, fused at 1amp, 3amp PSU total load	430.00
SB103	10 sounder lines, fused at 1amp, 3amp PSU total load	490.00
SB123	12 sounder lines, fused at 1amp, 3amp PSU total load	550.00

*Batteries supplied separately

DOOR RELEASES AND TRANSFORMERS

MDR240	Magnetic door release 230V	44.50
MDR24L	Magnetic door release 24V	41.50
MDRFBA	Magnetic floor bracket	15.00
TR2	2amp transrector, suitable for up to 13 MDR24L	165.00

POWER SUPPLIES

PSIB	PSU 1 amp boxed maximum 7 amp/hr	149.00
PSIC	PSU 1 amp chassis only	115.00
PSVB	PSU 5 amp boxed maximum 17 amp/hr	325.00
PSVBL	PSU 5 amp large box maximum 24 amp/hr	450.00
PSVC	PSU 5 amp chassis only	200.00
PSXB	PSU 10 amp boxed maximum 24 amp/hr	568.00
PSXC	PSU 10 amp chassis only	377.00

ANALOGUE ADDRESSABLE**FIRECHECK ADVANCE ANALOGUE ADDRESSABLE (ESP) CONTROL EQUIPMENT**

FCMX4100	1 loop analogue addressable panel 20-zone inc PSU*	840.00
FCMX4200	2 loop analogue addressable panel 20-zone inc PSU*	1290.00
FCMX4400	4 loop analogue addressable panel 50 zone inc PSU*	1990.00
FCMX4800	8 loop analogue addressable panel 100 zone inc PSU*	4400.00
FCMX4010	Repeater LCD requires mains and network card, network is a separate two core loop	499.00
FCMX4020	Repeater with controls requires mains and network card, network is a separate two core loop	599.00
MXP002	Single loop card	130.00
MXP003	Standard network card	255.00
MXP008	8 way programmable output card	260.00
MXP009	Fault tolerant network card, BS5839 2002	595.00
MXP012	Retrofit on-board printer	355.00
MXP012F	Fitted on-board printer	299.00
MXP014	8 way programmable input card	116.00
MXP028	Modem card	349.00
MXUP5&11	Desk top printer and lead	445.00
MXBEZEL1	Semi flushing bezel 1 loop	66.66

*Batteries are supplied separately

FIRECHECK SYNCRO ADDRESSABLE PANEL (ESP)*

SOLO716	Solo, 1 Loop Analogue addressable panel, PSU included	870.00
SOLO716L	Solo Lite 1 Loop Analogue addressable panel, PSU included	621.00
SYNC216	Syncro 2 loop Analogue addressable panel 16-zone, PSU included	1381.00
SYNC216L	Syncro Lite 2 loop Analogue addressable panel 16-zone, PSU incl.	1096.00
SYNC248	Syncro 2 loop Analogue addressable panel 48-zone, PSU included	1460.00
SYNC448	Syncro 4 loop Analogue addressable panel 48-zone, PSU included	1921.00

*Batteries supplied separately

For Flush fitting add F onto end of order code, for printer add P, for both add PF

HOCHIKI (ESP) ANALOGUE ADDRESSABLE LINE EQUIPMENT**HOCHIKI ESP CALL POINTS**

TSMCPE	Addressable Call point surface mount	37.00
TSSR2T	Back box for TSMCPE Call point	3.00
TSMCPW	Addressable call point, weatherproof, back box included	130.00

HOCHIKI ESP DETECTORS

TSALGE	Addressable Photo-electric smoke sensor, base supplied separately	43.00
TSATIE	Addressable Ionisation smoke sensor, base supplied separately	43.00
TSACBE	Addressable Heat sensor, base supplied separately	43.00
TSACAE	Addressable Multi sensor, base supplied separately	50.00
TSACBEW	Addressable Heat sensor IP65, Back box supplied separately	65.60
TSMBBI	IP65 Marine back box	6.00
TSYBNR3	Sensor base standard	4.00

HOCHIKI ESP LOOP SOUNDERS, BEACONS & SHORT CIRCUIT ISOLATORS

CODE	DESCRIPTION	PRICE £
TSCHQWS	Loop sounder Horn type 100dBA	48.00
TSCHQSWP	Loop sounder, Weatherproof, Horn type 100dBA	85.00
TSCHQAB	Loop beacon, base supplied separately	42.00
TSYBORSCI	Short circuit isolator base	30.00
TSCHQBS	Loop sounder base	50.00
TSSIBC	Cover for Loop sounder or Short circuit isolator base	2.00

HOCHIKI ESP INTERFACES

TSCHQMZ	Addressable single conventional trigger zone controller, loop powered, boxed, maximum 6 detectors	75.00
TSCHQZ	Addressable dual conventional trigger zone controller, requires 24V PSU, boxed, maximum 60 detectors	80.00
TSCHQB	Addressable monitored dual conventional alarm line controller, boxed, requires 24V PSU	140.00
TSCHQR	Addressable dual output relay controller, boxed	120.00
TSCHQSIO	Addressable 240V output relay controller, boxed	88.00
TSCHQS	Addressable dual input relay monitor, boxed	80.00

MENVIER DF6000 SYSTEM**CONTROL EQUIPMENT**

DF6001	1 loop Analogue addressable panel, batteries & PSU included	1143.00
DF6002	2 loop Analogue addressable panel, batteries & PSU included	1415.00
DF6004	4 loop Analogue addressable panel, batteries & PSU included	1608.00
DF6000COV	Hinged cover	40.00
DF6000P	On-board printer	221.00
DF6000NC	On-board network card	162.86
DF6000RP	Passive repeater	TBA

Panels light grey as standard, for graphite coloured panels add G onto end of order code

CALL POINTS

MBG814	Addressable flush fitting Call point	32.90
MBG813	Addressable Surface mount Call point	34.30
MBG817	Addressable Weatherproof Call point	48.60

DETECTORS

MAP820	Addressable Optical smoke sensor	41.18
MAI810	Addressable Ionisation smoke sensor	47.06
MAH830	Addressable Heat sensor	40.34
MAOH850	Addressable Combined optical/heat sensor	52.10
MAB800	Common mounting base	4.25

SOUNDERS & BEACONS

MAS850LPS	Loop horn sounder	57.98
MAS850LPSWP	Loop horn sounder, Weatherproof	67.23
MAS850	Loop sounder detector base	53.78
MASC	Cover for stand alone loop sounder base pack of 5	18.07
MAB870	Loop LED Beacon	60.50

INTERFACES

MIO324	Loop 3 way input/output 1 amp 24Vdc	90.76
MIO1240	Loop 1 way input/output 1 amp 230Vdc	97.48
MIU871	Loop zone monitor, base supplied separately	82.35
MSU840	Loop shop unit interface requires mains supply	110.92
MSI850	Loop spur isolator	62.18
MSU424	Loop 4 way sounder line controller, requires mains	285.71

Also available from Tann Synchronome are:

RADIO**NURSE CALL****EMERGENCY LIGHTING****FIRE EXTINGUISHERS**

Please contact sales for prices

TANN SYNCHRONOME OFFER A COMPLETE SERVICE FOR SYSTEM DESIGN, INSTALLATION, COMMISSIONING AND MAINTENANCE. CALL SALES FOR A FREE QUOTATION 01291 431910

Issue PR2005rev1

Tann Synchronome Ltd, Unit 50D Symondscliffe Way, Severn Bridge Industrial Estate, Caldicot, Monmouthshire. NP26 5PW
 TEL: 01291 431910 FAX: 01291 431911 E-MAIL: tann@synchronome.net WEB: Synchronome.net